

(SRI C. T. HANUMANTHAIYA).

the depressed class people requesting for grant of building sites in Pavagada Taluk during the last two years ;

(b) the number of sites sanctioned and allotted ?

(c) the number of applications for sites pending allotment ?

A.—Sri K. HANUMANTHAIYA (Chief Minister).—

1951-52 1952-53

(a) Villages ...	5	8
Applications...	5	9
(b) Sites sanctioned	4	6
(c)	1	3

ಶ್ರೀ ಸಿ. ಟಿ. ಹನುಮಂತಯ್ಯ.—ನನ್ನ (ಎ) ಪ್ರಶ್ನೆಗೆ ಉತ್ತರವಾಗಿ 5 ಗ್ರಾಮಗಳಿಂದ 5 ಅರ್ಜಿಗಳು ಬಂದಿವೆಯೆಂದೂ, ಅವುಗಳಲ್ಲಿ 4 ಮಾತ್ರ ಮಂಜೂರಾಗಿರುತ್ತವೆಂದೂ ಹೇಳಿದ್ದೀರಿ. ಆದರೆ ಅರಸೀಕೆರೆ ಹೋಬಳಿ ಜನ್ಮಕೇಶವಪುರದವರಿಂದ ಅರ್ಜಿ ಬಂದದ್ದು ಯಾವ ತಾರೀಖಿನಲ್ಲಿ ?

ಶ್ರೀ ಕೆ. ಹನುಮಂತಯ್ಯ.—ಜ್ಞಾಪಕವಿಲ್ಲ. ಅದಕ್ಕೋಸ್ಕರ ಅದನ್ನು ತಿಳಿಸಲು ಈಗ ಸಾಧ್ಯವಿಲ್ಲ.

ಶ್ರೀ ಸಿ. ಟಿ. ಹನುಮಂತಯ್ಯ.—ಅರ್ಜಿಗಳು ಬಂದು, ರೆಕಾರ್ಡ್ ವಗೈರೆ ಕೆಲಸಗಳೆಲ್ಲಾ ಮುಗಿದಿರುವುದರಿಂದ ಅವರು ಬೇಗ ಮನೆಗಳನ್ನು ಕಟ್ಟಿಕೊಳ್ಳಲು ಅವಕಾಶವಾಗುವಂತೆ ಪ್ರಯತ್ನ ಮಾಡುತ್ತೀರಾ ?

ಶ್ರೀ ಕೆ. ಹನುಮಂತಯ್ಯ.—ಅದನ್ನೆಲ್ಲಾ ನೋಡಿ, ಜಾಗೃತ ಕೆಲಸ ಮಾಡುವುದಕ್ಕೆ ಪ್ರಯತ್ನ ಮಾಡುತ್ತೇನೆ.

Provision of electric lights to certain villages in Magadi Taluk.

Q.—338. Sri S. SIDDAPPA (Magadi).—

Will the Government be pleased to state :—

Whether they would provide electric lights to Motaganahalli, Gudemarana-halli, Solur, Kudur, Thippasandra and other villages in Magadi Taluk ?

A.—Sri K. HANUMANTHAIYA (Chief Minister).—Necessary estimates for the electrification of these villages in Magadi Taluk have been prepared after detailed investigation, but the schemes could not be sanctioned due to very poor revenue returns. Every effort will be made to consider these schemes of electrification if the revenue return is enhanced by way of more applicants for power supply coming forward.

ಶ್ರೀ ಎಸ್. ಸಿದ್ದಪ್ಪ.—ನನ್ನ ಪ್ರಶ್ನೆಗೆ ಉತ್ತರವಾಗಿ ಆ ಗ್ರಾಮಗಳಿಂದ ಬರತಕ್ಕ ಉತ್ಪತ್ತಿ ಬಹಳ ಕಮ್ಮಿಯಾಗಿರುವುದರಿಂದ, ಅಲ್ಲಿಗೆ ವಿದ್ಯುಚ್ಛಕ್ತಿ ದೀಪಗಳನ್ನು ಕೊಡುವುದಕ್ಕೆ ಸಾಧ್ಯವಿಲ್ಲವೆಂದು ತಿಳಿಸೋಣವಾಗಿದೆ. ಹಾಗಾದರೆ ಸರ್ಕಾರಕ್ಕೆ ಎಷ್ಟು ಪರ್ಸೆಂಟೇಜ್ ಉತ್ಪತ್ತಿ ಬಂದರೆ ಈ ದೀಪದ ಅನುಕೂಲವನ್ನು ಆ ಗ್ರಾಮಗಳಿಗೆ ಒದಗಿಸಲು ಸಾಧ್ಯವಾಗುತ್ತದೆ ?

ಶ್ರೀ ಕೆ. ಹನುಮಂತಯ್ಯ.—ಶೇಕಡ 7 ರಷ್ಟು ಉತ್ಪತ್ತಿ ಬರಬೇಕು. ಆದರೆ ಶ್ರೀಮಾನ್ ಸಿದ್ದಪ್ಪನವರಿಗೋಸ್ಕರವಾಗಿ 6½% ಬಂದರೂ ಅಲ್ಲಿಗೆ ದೀಪವನ್ನು ಮಂಜೂರು ಮಾಡುತ್ತೇವೆ.

ಶ್ರೀ ಎಸ್. ಸಿದ್ದಪ್ಪ.—ಕೆಲವು ಗ್ರಾಮಗಳಿಗೆ ಲಘು ಇರಿಗೇಷನ್ ಅಪ್ಪರೇಟಿಂಗ್ ಕಂಪನಿ ಬಂದಿರುವುದರಿಂದ, ಆ ಅಂಶವನ್ನೂ ಇದಕ್ಕೆ ಸೇರಿಸಿಕೊಳ್ಳುತ್ತೀರಾ ?

ಶ್ರೀ ಕೆ. ಹನುಮಂತಯ್ಯ.—ಎಲ್ಲಾ ವಿಚಾರಗಳನ್ನೂ ಗಮನಕ್ಕೆ ತೆಗೆದುಕೊಂಡು, ಒಟ್ಟಿನಲ್ಲಿ ರೂಲ್ಸ್ ಪ್ರಕಾರ ಸರ್ಕಾರಕ್ಕೆ ಎಷ್ಟು ಉತ್ಪತ್ತಿ ಬರಬೇಕೋ ಅಷ್ಟು ಬಂದರೆ ಅದನ್ನು ಕೂಡಲೇ ಕೈಕೊಳ್ಳುತ್ತೇವೆ.

ಶ್ರೀ ಎಸ್. ಸಿದ್ದಪ್ಪ.—ಆ ಗ್ರಾಮಗಳಿಂದ ಹೆಚ್ಚಿಗೆ ಉತ್ಪತ್ತಿ ಬರುವುದಕ್ಕೆ ಏರ್ಪಾಡು ಮಾಡಿದರೆ ಆಗ ತಾವು ಇದನ್ನು ಕೈಕೊಳ್ಳುತ್ತೀರಾ ?

ಶ್ರೀ ಕೆ. ಹನುಮಂತಯ್ಯ.—ಆಗಬಹುದು.

Mr. SPEAKER.—Questions are all over.

QUESTIONS FOR ANSWERS ON THE DAY

(But not taken up)

Officials retained in the Revenue Commissioner's Office for over three years.

Q.—82. Sri G. PUTTASWAMY (Chikmagalur-Mudigere—Scheduled Castes).—Will the Government be pleased to state :—

The number and names of officials remaining in the Revenue Commissioner's Office continuously for over three years in the State ?

A.—Sri KADIDAL MANJAPPA (Minister for Revenue and Public Works).—

34.

Names

Sriyuts—

- 1 D Huchaveerappa
- 2 H V Padmanabhachar
- 3 Miss Rozario
- 4 K Venkataratnam
- 5 R L Narasimha Setty
- 6 S Raja
- 7 T V Ramiah
- 8 V S Marasetty
- 9 P C Karumbiah

Names

Sriyuts—

- 10 C Y Zahiruddin
- 11 Mahomed Yaseen
- 12 Syed Abdul Khader
- 13 H K Chikkahanumanthiah
- 14 Y Bheema Rao
- 15 M G Pooviah
- 16 R Narayana
- 17 K Ramiah
- 18 K B Venkataswami
- 19 K N Nagappa
- 20 T N Sitharama Somayaji
- 21 B N Narayan
- 22 M Nanjudiah
- 23 B Radhakrishna
- 24 G M Gundu Rao
- 25 M K Nanjundiah
- 26 N R Subramanyam
- 27 B Channabasappa Setty
- 28 C S Ramiah
- 29 K Narayana Rao
- 30 K Jannappa
- 31 N Abdul Latiff
- 32 V Muniyenkatappa
- 33 K S Ramachandra Iyer
- 34 N Subbiah

{

Absent for
a short
period.

Construction of new tanks in Hoskote and Anekal Taluks.

Q.—161. Sri H. T. PUTTAPPA (Hoskote-Anekal--Scheduled Castes).—

Will the Government be pleased to state:—

(a) the number of new tanks the construction of which they will commence this year in Hoskote and Anekal Taluks;

(b) the number of old tanks that will be repaired?

A.—Sri KADIDAL MANJAPPA (Minister for Revenue and Public Works).—

(a) No new tanks are proposed to be constructed in Hoskote and Anekal Taluks this year.

(b) Statement appended.

Statement of tanks proposed to be restored and repaired during the year 1953-54 in Hoskote and Anekal Taluks.

Sl. No.	Particulars	Amount of estimate
---------	-------------	--------------------

NAMES OF TANKS PROPOSED TO BE RESTORED IN HOSKOTE TALUK.

	Rs.
1 Restoring Solur Tank ...	9,900
2 Restoring Sulebele Chikkere ...	1,08,000

ANEKAL TALUK.

	Rs.
1 Restoring Siddi Hosakote Kodagikere ...	13,600
2 Restoring Sholapur Batlivanakere ...	14,300

NAMES OF TANKS PROPOSED TO BE REPAIRED IN HOSKOTE TALUK.

1 Estimate for raising revetment for Kattiganahalli Nagalkere ...	320
2 Modified estimate for remodelling the sluice of Hoskote Tank ...	2,340
3 Estimate for constructing C.I. pipe aqueduct across halla of Solur Tank ...	790
4 A.R. of Hoskote large Tank ...	3,500
5 Estimate for closing the breach of Obalahalli Hosakere ...	13,000
6 Maintenance to Kattiganahalli Nagalkere ...	4,500
7 Maintenance of Kattiganahalli Tank ...	200
8 Providing jack bund for 1 to 6 furlongs of Theniyur Tank ...	550
9 Constructing C.I. pipe sluice to Bandahalli Budukere ...	780
10 Estimate for providing silt dam to feeder halla of Yelachihalli Major Tank ...	2,000
11 Constructing a C.I. pipe sluice to Nimbekayipura Tank ...	1,000
12 Improving the channel of Mallappa Setty Tank...	2,200
13 Maintenance work to Jinhagaru Tank ...	4,500
14 Urgent repairs to sluice to Doddaralagere ...	3,600

ANEKAL TALUK.

1 Urgent repairs to bund of Magukere Reg. No. 34 ...	3,500
2 Urgent repairs to sluice and waste weir of Mugannakere Reg. No. 31 ...	2,600